

CALIFORNIA COASTAL COMMISSION

SOUTHERN CENTRAL COAST AREA
300 CALIFORNIA ST., SUITE 200
VENTURA, CA 93001
(805) 585-1800



Page 1 of 8

Date: October 15, 2002

Permit Application No. 4-02-088

NOTICE OF INTENT TO ISSUE PERMIT

(Upon satisfaction of special conditions)

THIS IS NOT A COASTAL DEVELOPMENT PERMIT

THE SOLE PURPOSE OF THIS NOTICE IS TO INFORM THE APPLICANT OF THE STEPS NECESSARY TO OBTAIN A VALID AND EFFECTIVE COASTAL DEVELOPMENT PERMIT ("CDP"). A Coastal Development Permit for the development described below has been approved but is not yet effective. Development on the site cannot commence until the CDP is effective. In order for the CDP to be effective, Commission staff must issue the CDP to the applicant, and the applicant must sign and return the CDP. Commission staff cannot issue the CDP until the applicant has fulfilled each of the "prior to issuance" Special Conditions. A list of all of the Special Conditions for this permit is attached.

The Commission's approval of the CDP is valid for two years from the date of approval. To prevent expiration of the CDP, you must fulfill the "prior to issuance" Special Conditions, obtain and sign the CDP, and commence development within two years of the approval date specified on the next page. You may apply for an extension of the permit pursuant to the Commission's regulations at Cal Code Regs. title 14, section 13169.

NOTICE OF INTENT TO ISSUE PERMIT
(Upon satisfaction of special conditions)


Date: October 15, 2002
Permit Application No. 4-02-088

On October 8, 2002, the California Coastal Commission approved Coastal Development Permit No. 4-02-088, requested by Cold Canyon 10, LLC, subject to the attached conditions, for development consisting of: Proposal to construct a new two story, 35 ft. high, 8,120 sq. ft. single family residence with 2 attached two-car garages totaling 1,080 sq. ft., an attached 325 sq. ft. guest unit, a detached 460 sq. ft. recreation building, swimming pool and spa, driveway, 6 ft. high max. fencing, install a new septic system and perform 286 cu. yds. excavation/export on a lot with a previously approved existing building pad. This permit is more specifically described in the application on file in the Commission offices. Commission staff will not issue the CDP until the "prior to issuance" special conditions have been satisfied.

The development is within the coastal zone in Los Angeles County at 2003 Delphine Lane, Calabasas.

If you have any questions regarding how to fulfill the "prior to issuance" Special Conditions for CDP No. 4-02-088, please contact the Coastal Program Analyst identified below.

Sincerely,
PETER DOUGLAS
Executive Director



By: Kara Kemmler
Coastal Planner

ACKNOWLEDGMENT:

The undersigned permittee acknowledges receipt of this Notice and fully understands its contents, including all conditions imposed.

COLD CANYON 10, LLC

5/19/04

Date

BY: Mark Handel, Manager
Permittee

Please sign and return one copy of this form to the Commission office at the above address.

NOTICE OF INTENT TO ISSUE PERMIT
(Upon satisfaction of special conditions)

Permit Application No. 4-02-088

STANDARD CONDITIONS

1. **Notice of Receipt and Acknowledgment.** The permit is not valid and development shall not commence until a copy of the permit, signed by the permittee or authorized agent, acknowledging receipt of the permit and acceptance of the terms and conditions, is returned to the Commission office.
2. **Expiration.** If development has not commenced, the permit will expire two years from the date on which the Commission voted on the application. Development shall be pursued in a diligent manner and completed in a reasonable period of time. Application for extension of the permit must be made prior to the expiration date.
3. **Interpretation.** Any questions of intent or interpretation of any condition will be resolved by the Executive Director or the Commission.
4. **Assignment.** The permit may be assigned to any qualified person, provided assignee files with the Commission an affidavit accepting all terms and conditions of the permit.

Terms and Conditions Run with the Land. These terms and conditions shall be perpetual, and it is the intention of the Commission and the permittee to bind all future owners and possessors of the subject property to the terms and conditions.

SPECIAL CONDITIONS:

NOTE: IF THE SPECIAL CONDITIONS REQUIRE THAT DOCUMENT(S) BE RECORDED WITH THE COUNTY RECORDER, YOU WILL RECEIVE THE LEGAL FORMS TO COMPLETE (WITH INSTRUCTIONS) FROM THE VENTURA OFFICE, AFTER YOU HAVE SIGNED AND RETURNED THE DUPLICATE COPY OF THIS FORM. WHEN YOU RECEIVE THE DOCUMENTS, IF YOU HAVE ANY QUESTIONS, PLEASE CALL THE SOUTH CENTRAL COAST OFFICE AT (805) 585-1800.

1. Plans Conforming to Geologic Recommendations

All recommendations contained in the Compaction Report dated December 7, 2000 and Final Geology Report dated December 26, 2000 prepared by GeoConcepts, Inc. and the Effluent Disposal Feasibility Report dated September 14, 2000 prepared by Earth Systems shall be incorporated into all final design and construction including *foundations, grading, sewage disposal and drainage*. Final plans must be reviewed and approved by the project's consulting geotechnical engineer and geologist. Prior to issuance of the coastal development permit, the applicant shall submit, for review and approval by the Executive Director, two sets of plans with evidence of the consultant's review and approval of all project plans.

The final plans approved by the consultants shall be in substantial conformance with the plans approved by the Commission relative to construction, grading, sewage disposal and drainage. Any substantial changes in the proposed development approved by the Commission which may be required by the consultants shall require an amendment to the permit or a new coastal permit.

NOTICE OF INTENT TO ISSUE PERMIT
(Upon satisfaction of special conditions)

Permit Application No. 4-02-088

2. *Drainage and Polluted Runoff Control Plans*

Prior to the Issuance of the Coastal Development Permit, the applicant shall submit to the Executive Director for review and written approval, two sets of final drainage and runoff control plans, including supporting calculations. The plan shall be prepared by a licensed engineer and shall incorporate structural and non-structural Best Management Practices (BMPs) designed to control the volume, velocity and pollutant load of stormwater leaving the developed site. The plan shall be reviewed and approved by the consulting engineering geologist to ensure the plan is in conformance with geologist's recommendations. In addition to the specifications above, the plan shall be in substantial conformance with the following requirements:

- (a) Selected BMPs (or suites of BMPs) shall be designed to treat, infiltrate or filter the amount of stormwater runoff produced by all storms up to and including the 85th percentile, 24-hour runoff event for volume-based BMPs, and/or the 85th percentile, 1-hour runoff event, with an appropriate safety factor (i.e., 2 or greater), for flow-based BMPs.
- (b) Runoff shall be conveyed off site in a non-erosive manner.
- (c) Energy dissipating measures shall be installed at the terminus of outflow drains.
- (d) The plan shall include provisions for maintaining the drainage system, including structural BMPs, in a functional condition throughout the life of the approved development. Such maintenance shall include the following: (1) BMPs shall be inspected, cleaned and repaired when necessary prior to the onset of the storm season, no later than September 30th each year and (2) should any of the project's surface or subsurface drainage/filtration structures or other BMPs fail or result in increased erosion, the applicant/landowner or successor-in-interest shall be responsible for any necessary repairs to the drainage/filtration system or BMPs and restoration of the eroded area. Should repairs or restoration become necessary, prior to the commencement of such repair or restoration work, the applicant shall submit a repair and restoration plan to the Executive Director to determine if an amendment or new coastal development permit is required to authorize such work.

3. *Landscaping and Erosion Control Plans*

Prior to issuance of a coastal development permit, the applicants shall submit two sets of landscaping and erosion control plans, prepared by a licensed landscape architect or a qualified resource specialist, for review and approval by the Executive Director. The landscaping and erosion control plans shall be reviewed and approved by the geotechnical engineering and geologic consultant to ensure that the plans are in conformance with the consultant's recommendations. The plans shall identify the species, extent, and location of all plant materials and shall incorporate the following criteria:

NOTICE OF INTENT TO ISSUE PERMIT
(Upon satisfaction of special conditions)

Permit Application No. 4-02-088

A. Landscaping Plan

- (1) All graded and disturbed areas on the subject site shall be planted and maintained for erosion control purposes within (60) days of receipt of the certificate of occupancy for the residence. To minimize the need for irrigation all landscaping shall consist primarily of native/drought resistant plants as listed by the California Native Plant Society, Santa Monica Mountains Chapter, in their document entitled *Recommended List of Plants for Landscaping in the Santa Monica Mountains*, dated February 5, 1996. Invasive, non-indigenous plant species which tend to supplant native species shall not be used.
- (2) All cut and fill slopes shall be stabilized with planting at the completion of final grading. Plantings should be of native plant species indigenous to the Santa Monica Mountains using accepted planting procedures, consistent with fire safety requirements. Such planting shall be adequate to provide 90 percent coverage within two (2) years, and this requirement shall apply to all disturbed soils.
- (3) Plantings will be maintained in good growing condition throughout the life of the project and, whenever necessary, shall be replaced with new plant materials to ensure continued compliance with applicable landscape requirements.
- (4) The Permittee shall undertake development in accordance with the final approved plan. Any proposed changes to the approved final plan shall be reported to the Executive Director. No changes to the approved final plan shall occur without a Coastal Commission approved amendment to the coastal development permit, unless the Executive Director determines that no amendment is required.
- (5) Vegetation within 50 feet of the proposed house may be removed to mineral earth, vegetation within a 200 foot radius of the main structure may be selectively thinned in order to reduce fire hazard. However, such thinning shall only occur in accordance with an approved long-term fuel modification plan submitted pursuant to this special condition. The fuel modification plan shall include details regarding the types, sizes and location of plant materials to be removed, and how often thinning is to occur. In addition, the applicant shall submit evidence that the fuel modification plan has been reviewed and approved by the Forestry Department of Los Angeles County. Irrigated lawn, turf and ground cover planted within the fifty foot radius of the proposed house shall be selected from the most drought tolerant species or subspecies, or varieties suited to the Mediterranean climate of the Santa Monica Mountains.

B. Interim Erosion Control Plan

- (1) The plan shall delineate the areas to be disturbed by grading or construction activities and shall include any temporary access roads, staging areas and stockpile areas. The natural areas on the site shall be clearly delineated on the project site with fencing or survey flags.

NOTICE OF INTENT TO ISSUE PERMIT
(Upon satisfaction of special conditions)

Permit Application No. 4-02-088

- (2) The plan shall specify that should grading take place during the rainy season (November 1 – March 31) the applicant shall install or construct temporary sediment basins (including debris basins, desilting basins or silt traps), temporary drains and swales, sand bag barriers, silt fencing, stabilize any stockpiled fill with geofabric covers or other appropriate cover, install geotextiles or mats on all cut or fill slopes and close and stabilize open trenches as soon as possible. These erosion measures shall be required on the project site prior to or concurrent with the initial grading operations and maintained through out the development process to minimize erosion and sediment from runoff waters during construction. All sediment should be retained on-site unless removed to an appropriate approved dumping location either outside the coastal zone or to a site within the coastal zone permitted to receive fill.
- (3) The plan shall also include temporary erosion control measures should grading or site preparation cease for a period of more than 30 days, including but not limited to: stabilization of all stockpiled fill, access roads, disturbed soils and cut and fill slopes with geotextiles and/or mats, sand bag barriers, silt fencing; temporary drains and swales and sediment basins. The plans shall also specify that all disturbed areas shall be seeded with native grass species and include the technical specifications for seeding the disturbed areas. These temporary erosion control measures shall be monitored and maintained until grading or construction operations resume.

C. Monitoring

Five years from the date of the receipt of the Certificate of Occupancy for the residence the applicants shall submit for the review and approval of the Executive Director, a landscape monitoring report, prepared by a licensed Landscape Architect or qualified Resource Specialist, that certifies the on-site landscaping is in conformance with the landscape plan approved pursuant to this Special Condition. The monitoring report shall include photographic documentation of plant species and plant coverage.

If the landscape monitoring report indicates the landscaping is not in conformance with or has failed to meet the performance standards specified in the landscaping plan approved pursuant to this permit, the applicant, or successors in interest, shall submit a revised or supplemental landscape plan for the review and approval of the Executive Director. The revised landscaping plan must be prepared by a licensed Landscape Architect or a qualified Resource Specialist and shall specify measures to remediate those portions of the original plan that have failed or are not in conformance with the original approved plan.

4. Wildfire Waiver of Liability

Prior to the issuance of a coastal development permit, the applicant shall submit a signed document which shall indemnify and hold harmless the California Coastal Commission, its officers, agents, and employees against any and all claims, demands, damages, costs, and expenses of liability arising out of the acquisition, design, construction, operation, maintenance, existence, or failure of the permitted project in an area where an extraordinary potential for damage or destruction from wildfire exists as an inherent risk to life and property.

NOTICE OF INTENT TO ISSUE PERMIT

(Upon satisfaction of special conditions)

Permit Application No. 4-02-088

5. *Future Improvements Deed Restriction*

This permit is only for the development described in coastal development permit No. 4-02-088. Pursuant to Title 14 California Code of Regulations §13250(b)(6) and 13253(b)(6), the exemptions otherwise provided in Public Resources Code §30610(a) and (b) shall not apply to the entire parcel. Accordingly, any future structures, future improvements, or change of use to the permitted structures approved under Coastal Development Permit No. 4-02-088, and any grading, clearing or other disturbance of vegetation, other than as provided for in the approved fuel modification/landscape plan prepared pursuant to Special Condition No. Four (4), shall require an amendment to Permit No. 4-02-088 from the Commission or shall require an additional coastal development permit from the Commission or from the applicable certified local government.

6. *Lighting Restriction*

A. The only outdoor night lighting allowed on the subject parcel is limited to the following:

1. The minimum necessary to light walkways used for entry and exit to the structures, including parking areas on the site. This lighting shall be limited to fixtures that do not exceed two feet in height above finished grade, are directed downward and generate the same or less lumens equivalent to those generated by a 60 watt incandescent bulb, unless a greater number of lumens is authorized by the Executive Director.
2. Security lighting attached to the residence and garage shall be controlled by motion detectors and is limited to same or less lumens equivalent to those generated by a 60 watt incandescent bulb.
3. The minimum necessary to light the entry area to the driveway with the same or less lumens equivalent to those generated by a 60 watt incandescent bulb.

B. No lighting around the perimeter of the site and no lighting for aesthetic purposes is allowed.

7. *Required Approval*

Prior to issuance of the Coastal Development Permit, the applicant shall submit, evidence of County of Los Angeles Environmental Health Services review and approval of the proposed sewage disposal system design.

8. *Removal of Excess Excavation Material*

Prior to the issuance of the coastal development permit, the applicant shall provide evidence to the Executive Director of the location of the disposal site for all debris/excavated material from the site. Should the dump site be located in the Coastal Zone, a Coastal Development Permit shall be required.

NOTICE OF INTENT TO ISSUE PERMIT
(Upon satisfaction of special conditions)

Permit Application No. 4-02-088

9. *Deed Restriction Condition*

Prior to issuance of the coastal development permit, the applicant shall submit to the Executive Director for review and approval documentation demonstrating that the applicant has executed and recorded against the parcel(s) governed by this permit a deed restriction, in a form and content acceptable to the Executive Director: (1) indicating that, pursuant to this permit, the California Coastal Commission has authorized development on the subject property, subject to terms and conditions that restrict the use and enjoyment of that property; and (2) imposing the Special Conditions of this permit as covenants, conditions and restrictions on the use and enjoyment of the Property. The deed restriction shall include a legal description of the entire parcel or parcels governed by this permit. The deed restriction shall also indicate that, in the event of an extinguishment or termination of the deed restriction for any reason, the terms and conditions of this permit shall continue to restrict the use and enjoyment of the subject property so long as either this permit or the development it authorizes, or any part, modification, or amendment thereof, remains in existence on or with respect to the subject property.